






REVISIONS				
REV	DATE	BY	CHKD	APPD
E	21APR2014	AP	RP	
DESCRIPTION: REVISED PER ECO-14-005095				



RECOMMENDED PC BOARD LAYOUT,
 DAUGHTER BOARD,
 COMPONENT SIDE SHOWN
 SCALE 4:1

- 1 REFERENCE APPLICATION SPEC 114-13059 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.
- 2 MATERIAL:
 SHIELD - PHOSPHOR BRONZE
 CONTACT - COPPER-NICKEL-SILICON
 HOUSING, CHICKLET AND CHICKLET COVER - GLASS FILLED POLYESTER, UL 94V-0.
- 3 FINISH: SIGNAL AND GROUND CONTACTS:
 MATING AREA: MEETS THE PERFORMANCE REQUIREMENTS OF PRODUCT SPECIFICATION 108-2055; BASED ON TELCORDIA GR-1217-CORE, APPLICATIONS IN UNCONTROLLED ENVIRONMENTS
 COMPLIANT PIN AREA: 0.5µm MIN BRIGHT TIN-LEAD OVER BASE PLATING
- 4 CONNECTOR MARKED WITH PART NUMBER AND DATE CODE IN APPROXIMATE AREA SHOWN
- 5 DIMENSION APPLIES TO CENTERLINE OF THRU HOLE.
- 6 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 7. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995.



1469286-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: S. J. MAGARO 13FEB2003	TE Connectivity
DIMENSIONS: mm		CHK: R. A. PATTERSON 13FEB2003	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: R. PATTERSON 16MAY2007	NAME: RECEPTACLE ASSEMBLY, 4 PAIR, 30mm, HMZd
0 PLC #		PRODUCT SPEC	
1 PLC #		APPLICATION SPEC	SIZE: A100779
2 PLC #		WEIGHT	CAGE CODE: 1469286
3 PLC #		CUSTOMER DRAWING	SCALE: 8:1
4 PLC #			SHEET 1 OF 1
ANGLES			REV E